



EP	AW	Boron	Amines	Chlorine	Esters	Nitrites
+	+	+	+	-	+	-
Stability in hard water		20°dH (360 ppm CaCO <sub>3</sub> )				

#### TYPICAL CHARACTERISTICS

CONCENTRATE			
CHARACTERISTICS	METHOD	UNITS	VALUE
Appearance	visual	-	clear
Density at 20°C	EN ISO 3675	g/ml	1,050
Kinematic viscosity at 40°C	ISO 3104	mm <sup>2</sup> /s	85
EMULSION			
CHARACTERISTICS	METHOD	UNITS	VALUE
Appearance	visual	-	semi-transparent
pH value at 3,5% concentration	ISO 4316	-	9,2
Corrosion on grey iron (chips/paper) 3,5%	DIN 51361/2	degree	0/0
Factor for refractometer		1,32	

Friction coefficient in the cutting zone:  $\mu = 0,08 - 0,11$

#### STORAGE

Store in covered area. If stored outdoors, it is necessary to place the drums in a horizontal position to prevent the accumulation of water on the surface of the drum. Do not store at elevated temperatures or in locations exposed to direct sunlight, nor at the temperatures below 0°C.

All necessary instructions can be found in the product SDS. It contains the details of possible hazards, warnings and first aid measures, as well as the impact on the environment and the necessary measures for the storage and handling.

#### PACKING

Plastic pails of 20 L and tin drums of 180 kg.

Data are orientational, manufacturer reserves the right to make changes in order to improve product quality.